

DPD-3031-59

6 May 1959

Dear Sid:

25X1

We have checked with [redacted] regarding a new contract to cover IR support by LAC and Baird for the period 1 March 1960 through 27 February 1960. (See DPD-2248-59, 3 April 1959). Bob's letter of 30 April 1959, copy of which he sent you, does not agree with our suggestion. It is thought, however, that he could include the Turret, Oscillograph and Ground Support Equipment in the portion of SP-1916 to be closed out.

In order to conduct a property audit, we need a listing of GPP, if any, or a negative statement from you. Also, a certification that all work was performed satisfactorily, and is complete. We already have your memorandum dated 9 January 1958, regarding completion of Item 1. Property audit was also the subject of our letter to you of 20 April 1959, DPD-2599-59.

We have requested Walt to start a cost and property audit preparatory to closing out a portion of Contract SP-1916. Based on your memorandum dated 12 March 1959, we are proceeding with Amendment No. 7 to SP-1916 to include [redacted] and 25X1 will list Ground Support Equipment as shown in Bob's list dated April 30, 1959.

Very truly yours,

Dan

CC: [redacted]

25X1

DPD-DD/P:HL:pf

Distribution:

- 1 - [redacted] 25X1
- 1 - SP-1916 (T&P)
- 1 - [redacted] 25X1
- ✓1 - Chrono

25 YEAR
RE-REVIEW